

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Page 1/7

· 1.1 Product identifier

- · Trade name: Norecryl Aqua DTM Comp. A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use Coating
- · Product category PC9a Coatings and paints, thinners, paint removers
- · Application of the substance / the mixture
- 2-comp. water borne NISO acryl topcoat, Comp. A
- Uses in Coatings Industrial use Uses in Coatings - Professional use
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- Nor-Maali Oy

Vanhatie 20, 15240 Lahti, FINLAND

- · Further information obtainable from: MSDS (Nor-Maali Oy) tel.+358 3 874 650, sds@nor-maali.fi
- · 1.4 Emergency telephone number: Contact National Poison Center

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Product definition: mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. **2.3 Other hazards**

- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol Flam. Lig. 3, H226; STOT SE 3, H336	1 - 2.5%
Reg.nr.: 01-2119457435-35-		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0.0263%
EINECS: 220-120-9 Reg.nr.: 01-2120761540-60-	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
-	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
• Additional information:		

Contains: > 1 % TiO₂ (<10 μ m)

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

GB



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Trade name: Norecryl Aqua DTM Comp. A

(Contd. of page 1)

Page 2/7

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Never give anything by mouth or induce vomiting to an unconscious person or a person who has convulsions. **After inhalation:**

Remove person to fresh air, keep patient warm and at rest. If breathing is irregular, call national emergency number, if needed start giving artificial respiration and seek medical advice.

After skin contact:

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

• After eye contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.

After swallowing:

If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do not induce vomiting.

- · Information for doctor: Treatment according to symptoms.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Do not use water jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available. • 5.3 Advice for firefighters

Evacuate people from danger area and deny access to area. Remove containers from danger area and try to cool containers which cannot be removed safely.

Protective equipment: Compressed air respirator and protective clothing.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapor or mist. Provide adequate ventilation. Wear personal protective equipment

- (extinguishing suit, protective gloves, rubber boots). Keep unauthorized persons away.
- 6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

- 6.3 Methods and material for containment and cleaning up:
- Absorb liquid components with liquid-binding material (sand, peat or other absorbent material).
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handling must be organised so that skin contact with the product and splashes to eyes can be avoided.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

The product must be stored in a dry, well ventilated, cool (temperature > +10 °C) space. Must be transported and stored free from frost. Containers must be kept tightly closed and away from foodstuff.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Trade name: Norecryl Aqua DTM Comp. A

· Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 107-98-2 1-methoxy-2-propanol HTP Short-term value: 560 mg/m³, 150 ppm Long-term value: 370 mg/m³, 100 ppm Sk 107-98-2 1-methoxy-2-propanol Dermal DNEL 183 mg/kg bw/day (Workers - Long-term systemic effects) Inhalative DNEL 369 mg/m3 (Workers - Long-term systemic effects) 2634-33-5 1,2-benzisothiazol-3(2H)-one Dermal DNEL 0.966 mg/kg bw/day (Workers - Long-term systemic effects) Inhalative DNEL 6.81 mg/m3 (Workers - Long-term systemic effects) · PNECs 107-98-2 1-methoxy-2-propanol PNEC 10 mg/L (Freshwater) 1 mg/L (Marine water) 100 mg/L (Sewage treatment) PNEC 52.3 mg/kg dwt (Fresh water sediment) 5.2 mg/kg dwt (Marine water sediment) PNEC 4.59 mg/kg (Soil) 2634-33-5 1,2-benzisothiazol-3(2H)-one PNEC 1.03 mg/L (Sewage treatment) PNEC 0.0499 mg/kg dwt (Fresh water sediment) 0.00499 mg/kg dwt (Marine water sediment) PNEC 3 mg/kg (Soil) PNEC 4.03 µg/L (Freshwater) 0.403 µg/L (Marine water) Additional information: The information is based on the valid lists at the time of manufacture (Finland 654/2020). · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the HTP, suitable respiratory protection must be worn. **Respiratory protection:** If ventilation is insufficient or if workers are exposed to concentrations above the exposure limit they must use half- or full mask with gas filter A (brown, organic substances), and when grinding P2 (IIb) -type dust filter. Mask with combined filter (gas & dust) A2-P2 must be used when spraying. In the continuous long-term work it is recommended to use motored air protector or separative protector (fresh air hood or compressed air hood or such).

(Contd. on page 4)

Page 3/7

(Contd. of page 2)

GB



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Trade name: Norecryl Aqua DTM Comp. A

(Contd. of page 3)

Page 4/7

· Hand protection



Protective gloves

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**
- Wear suitable gloves tested to EN374.
- May be used, gloves(breakthrough time) 4 8 hours: butyl rubber, nitrile rubber
- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection



Tightly sealed goggles

The eye flushing device should be located near the the paint work area. **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical pr	operties
· General Information	
Physical state	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	1 vol-%
· Upper:	11 vol-%
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.3 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 5)



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Page 5/7

Trade name: Norecryl Aqua DTM Comp. A

		(Contd. of pag
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cl	asses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. • 10.3 Possibility of hazardous reactions
- Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol

Oral LD50 4,016 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 490 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Trade name: Norecryl Aqua DTM Comp. A

· 11.2 Information on other hazards

Endocrine disrupting properties

95-14-7 benzotriazole

556-67-2 octamethylcyclotetrasiloxane

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

107-98-2 1-methoxy-2-propanol

48-h EC50 21.1 - 25.9 mg/L (Daphnia magna)

96-h LC50 1 - 20.8 mg/L (Fish)

2634-33-5 1,2-benzisothiazol-3(2H)-one

72-h EC50 0.11 mg/L (Algae)

48-h EC50 2.9 - 2.94 mg/L (Daphnia magna)

96-h LC50 2.15 - 22 mg/L (Fish)

12.2 Persistence and degradability

Biodegradability:

- 1-methoxy-2-propanol: 96 % (28 d) -> readily
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Do not allow to enter drains or watercourses. Material and/or container must be disposed of as hazardous waste.

· European waste catalogue

08 01 15* aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation:

Empty, dry paint containers (hole made to the bottom) should be taken to collection centres for metallic paint packages. If this collecting/recycling centre doesn't exist, containers can be taken to a local dump pit. For more information contact your local waste disposal authorities or paint deliverer.

Not dangerous goods

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA · 14.2 UN proper shipping name · ADR, IMDG, IATA · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA

Class

(Contd. on page 7)

(Contd. of page 5)

List II List II; III

Page 6/7



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 31.01.2023 Date of previous issue: 31.01.2023 Version number 1

Page 7/7

Trade name: Norecryl Aqua DTM Comp. A

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Not dangerous goods	
· 14.5 Environmental hazards:	Not applicable.	
 14.6 Special precautions for user 	Do not freeze. Warm transport (+5 °C).	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
· Transport/Additional information:		
·IMDG		
· UN "Model Regulation":	Not dangerous goods	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
Contact: Nor-Maali Oy, tel. +358 3 874 650 or sds@nor-maali.fi
Abbreviations and acronyms:
Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1