

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Norecryl Aqua DTM Comp. B

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use Coating
- · Product category PC9a Coatings and paints, thinners, paint removers
- · Application of the substance / the mixture
- 2-comp. water borne NISO acrylic coating, Comp. B
- Uses in Coatings Industrial use Uses in Coatings - Professional use
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Nor-Maali Ov

Vanhatie 20, 15240 Lahti, FINLAND

- Further information obtainable from: MSDS (Nor-Maali Oy) tel.+358 3 874 650, sds@nor-maali.fi
- 1.4 Emergency telephone number: Contact National Poison Center

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Product definition: mixture

Classification according to Regulation (EC) No 1272/2008



| Skin Irrit. 2 | H315 Causes skin irritation. |
|---------------|---|
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling: oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

(Contd. of page 1)

Page 2/8

P333+P313 If P337+P313 If

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | | | |
|---|--|------------|--|--|
| CAS: 25085-99-8 | oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer | 2.5 - 25% | | |
| | Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 | | | |
| CAS: 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | 0.1 - 2.5% | | |
| EC number: 617-534-0 | Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315 | | | |
| CAS: 55965-84-9 EC number: 611-341-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | < 0.003% | | |
| | Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 | | | |
| | Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$ | | | |
| | Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % | | | |
| | Eye Dam. 1; H318: C ≥ 0.6 % | | | |
| | Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | | | |
| Additional information | For the wording of the listed bazard phrases refer to section 16 | | | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Never give anything by mouth or induce vomiting to an unconscious person or a person who has convulsions. **After inhalation:**

Remove person to fresh air, keep patient warm and at rest. If breathing is irregular, call national emergency number, if needed start giving artificial respiration and seek medical advice.

After skin contact:

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.

After swallowing:

If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do not induce vomiting.

- · Information for doctor: Treatment according to symptoms.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Do not use water jet



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Page 3/8

Trade name: Norecryl Aqua DTM Comp. B

(Contd. of page 2) • 5.2 Special hazards arising from the substance or mixture No further relevant information available. • 5.3 Advice for firefighters

Evacuate people from danger area and deny access to area. Remove containers from danger area and try to cool containers which cannot be removed safely. This material is harmful to aquatic life with long lasting effects. Fire water contamined with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

· Protective equipment: Compressed air respirator and protective clothing.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid breathing vapor or mist. Provide adequate ventilation. Wear personal protective equipment (extinguishing suit, protective gloves, rubber boots). Keep unauthorized persons away.
- · 6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material (sand, peat or other absorbent material). Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handling must be organised so that skin contact with the product and splashes to eyes can be avoided.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

The product must be stored in a dry, well ventilated, cool (temperature > +10 °C) space. Must be transported and stored free from frost. Containers must be kept tightly closed and away from foodstuff.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

The information is based on the valid lists at the time of manufacture (Finland 654/2020).

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of

exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the HTP, suitable respiratory protection must be worn.

Respiratory protection:

If ventilation is insufficient or if workers are exposed to concentrations above the exposure limit they must use half- or full mask with gas filter A (brown, organic substances), and when grinding P2 (IIb) -type dust filter. Mask with combined filter (gas & dust) A2-P2 must be used when spraying. In the continuous long-term work it is recommended to use motored air protector or separative protector (fresh air hood or compressed air hood or such).



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

(Contd. of page 3)

Page 4/8

· Hand protection



Protective gloves

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**
- Wear suitable gloves tested to EN374.
- May be used, gloves(breakthrough time) 4 8 hours: butyl rubber, nitrile rubber
- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection



Tightly sealed goggles

The eye flushing device should be located near the the paint work area. **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

| • 9.1 Information on basic physical and chemical pr | operties |
|---|---|
| General Information | |
| · Physical state | Fluid |
| · Colour: | According to product specification |
| · Odour: | Characteristic |
| · Odour threshold: | Not determined. |
| · Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | Undetermined. |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| · Lower: | 1 vol-% |
| · Upper: | 11 vol-% |
| Flash point: | 93 °C |
| Decomposition temperature: | Not determined. |
| · pH | Not determined. |
| Viscosity: | |
| · Kinematic viscosity | Not determined. |
| · Dynamic: | Not determined. |
| · Solubility | |
| water: | Fully miscible. |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density at 20 °C: | 1.08 g/cm ³ |
| Relative density | Not determined. |
| · Vapour density | Not determined. |
| • 9.2 Other information | |
| · Appearance: | |
| · Form: | Fluid |
| · Important information on protection of health and | |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| | (Contd. on page 5) |
| | (Conta. on page 5) |



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

| | | (Contd. of pag |
|---|-----------------|----------------|
| Change in condition | | |
| Evaporation rate | Not determined. | |
| Information with regard to physical hazard cl | asses | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flamma | able | |
| gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. • 10.3 Possibility of hazardous reactions
- Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

25085-99-8 oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer

Oral LD50 > 15,000 mg/kg (rat)

Dermal LD50 > 23,000 mg/kg (rabbit)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability
- Biodegradation:
- No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Harmful to fish

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Do not allow to enter drains or watercourses. Material and/or container must be disposed of as hazardous waste.

· European waste catalogue

08 01 15* aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation:

Empty, dry paint containers (hole made to the bottom) should be taken to collection centres for metallic paint packages. If this collecting/recycling centre doesn't exist, containers can be taken to a local dump pit. For more information contact your local waste disposal authorities or paint deliverer.

SECTION 14: Transport information

| 14.1 UN number or ID number ADR, IMDG, IATA | Not dangerous goods | |
|--|--|-------|
| 14.2 UN proper shipping name ADR, IMDG, IATA | Not dangerous goods | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Not dangerous goods | |
| 14.4 Packing group ADR, IMDG, IATA | Not dangerous goods | |
| · 14.5 Environmental hazards: | Not applicable. | |
| · 14.6 Special precautions for user | Do not freeze. Warm transport! (+5 °C) | |
| 14.7 Maritime transport in bulk according to instruments | Not applicable. | |
| | (Contd. on pa | ge 7) |

(Contd. of page 5)

Page 6/8

GB



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

UN "Model Regulation":

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Contact: Nor-Maali Oy, tel. +358 3 874 650 or sds@nor-maali.fi

- Date of previous version: 31.01.2023
- Version number of previous version: 1
- Abbreviations and acronyms:

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 (Contd. of page 6)

Page 7/8



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of revision: 03.05.2023 Date of previous issue: 31.01.2023 Version number 2 (replaces version 1)

Trade name: Norecryl Aqua DTM Comp. B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · * Data compared to the previous version altered.

(Contd. of page 7)

Page 8/8

GB